

$\mathcal{AM}\mathcal{S}$ -L^AT_EX QUICK REFERENCE

Packages

The main package to load is `amsmath`. More symbols are included in `amssymb`.

Typeset

For text style (inline) math, use: `$... $`

For display style math, which breaks the paragraph:

`\begin{equation} ... \end{equation}` (numbered) or
`\[... \]` (non-numbered).

Greek letters

α	<code>\alpha</code>	β	<code>\beta</code>	γ	<code>\gamma</code>
δ	<code>\delta</code>	ϵ	<code>\epsilon</code>	ε	<code>\varepsilon</code>
ζ	<code>\zeta</code>	η	<code>\eta</code>	θ	<code>\theta</code>
ϑ	<code>\vartheta</code>	ι	<code>\iota</code>	κ	<code>\kappa</code>
λ	<code>\lambda</code>	μ	<code>\mu</code>	ν	<code>\nu</code>
ξ	<code>\xi</code>	π	<code>\pi</code>	ϖ	<code>\varpi</code>
ρ	<code>\rho</code>	ϱ	<code>\varrho</code>	σ	<code>\sigma</code>
τ	<code>\tau</code>	υ	<code>\upsilon</code>	ϕ	<code>\phi</code>
φ	<code>\varphi</code>	χ	<code>\chi</code>	ψ	<code>\psi</code>
ω	<code>\omega</code>				
Γ	<code>\Gamma</code>	Δ	<code>\Delta</code>	Θ	<code>\Theta</code>
Λ	<code>\Lambda</code>	Ξ	<code>\Xi</code>	Π	<code>\Pi</code>
Σ	<code>\Sigma</code>	Υ	<code>\Upsilon</code>	Φ	<code>\Phi</code>
Ψ	<code>\Psi</code>	Ω	<code>\Omega</code>		

To ensure a consistent style throughout the document:

```
\renewcommand{\epsilon}{\varepsilon}
\renewcommand{\theta}{\vartheta}
\renewcommand{\rho}{\varrho}
\renewcommand{\phi}{\varphi}
```

Mathematical font

$A B C D E F G H I J K L M N O P Q R S T U V W X Y Z$
`\mathcal{ letter }`

Braces

`\overbrace{ ... }^{\text{ text over brace }}`
`\underbrace{ ... }_{\text{ text under brace }}`

Superscript & Subscript

x^y	x^y	x^{a+b}	$x^{\{a+b\}}$
x_y	x_y	x_{a+b}	$x_{\{a+b\}}$

Root

Square root	\sqrt{x}	<code>\sqrt{x}</code>
N-th root	$\sqrt[N]{x}$	<code>\sqrt[N]{x}</code>

Dots

Multiplication dot	\cdot	<code>\cdot</code>
Three centered dots	\cdots	<code>\cdots</code>
Three baseline dots	\ldots	<code>\ldots</code>
Three diagonal dots	\ddots	<code>\ddots</code>
Three vertical dots	\vdots	<code>\vdots</code>

Spaces

Negative space	<code>\!</code>
Thinnest space	<code>\,</code>
Thin space	<code>\:</code>
Medium space	<code>\;</code>
1em space	<code>\quad</code>
2em space	<code>\quad\quad</code>

Accents

\hat{a}	<code>\hat{a}</code>	\bar{a}	<code>\bar{a}</code>	\dot{a}	<code>\dot{a}</code>	\ddot{a}	<code>\ddot{a}</code>
\check{a}	<code>\check{a}</code>	\dot{a}	<code>\dot{a}</code>	\vec{a}	<code>\vec{a}</code>	\widehat{AAA}	<code>\widehat{AAA}</code>
\tilde{a}	<code>\tilde{a}</code>	\ddot{a}	<code>\ddot{a}</code>				

Operators

\sin	<code>\sin</code>	\cos	<code>\cos</code>	\arcsin	<code>\arcsin</code>	\arccos	<code>\arccos</code>	\sinh	<code>\sinh</code>
\cosh	<code>\cosh</code>	\tan	<code>\tan</code>	\arctan	<code>\arctan</code>	\log	<code>\log</code>	\ln	<code>\ln</code>
\max	<code>\max</code>	\min	<code>\min</code>	\sup	<code>\sup</code>	\inf	<code>\inf</code>	\tanh	<code>\tanh</code>
\cot	<code>\cot</code>	\sec	<code>\sec</code>	\csc	<code>\csc</code>	\det	<code>\det</code>		

To define a custom operator:

```
\DeclareMathOperator{\argmax}{argmax}
```

Modulo

$a \bmod b$	<code>a \bmod b</code>
$a \equiv b \pmod m$	<code>a \equiv b \pmod{m}</code>

Fractions

`\frac{ ... }{ ... }`

Symbol stacking

`\overset{ ... }{ ... }` `\underset{ ... }{ ... }`

First argument is the main symbol, second argument is the symbol to put over or under the main symbol.

Big operators

$$\int_a^b \text{\int}_{\{a\}}^{\{b\}} \quad \sum_{k=0}^n \text{\sum}_{\{k=0\}}^{\{n\}}$$

$$\prod_{k=0}^n \text{\prod}_{\{k=0\}}^{\{n\}} \quad \lim_{x \rightarrow 0} \text{\lim}_{\{x \rightarrow 0\}}$$

For multiple integrals: $\iint \text{\iint}$ $\iiint \text{\iiint}$ etc.

Closed path integral: $\oint \text{\oint}$

Delimiter size

Change the delimiter size by adding one of these modifiers immediately before the delimiter itself:

`\big \Big \bigg \Bigg`

Let \LaTeX determine the correct size using `\left` and `\right` immediately before the opening and closing delimiters, respectively.

Absolute value & Norm

$$|x| \quad \text{\lvert} x \text{\rvert}$$

$$\|x\| \quad \text{\lVert} x \text{\rVert}$$

The same can be achieved by defining:

```
\usepackage{mathtools}
\DeclarePairedDelimiter{\abs}{\lvert}{\rvert}
\DeclarePairedDelimiter{\norm}{\lVert}{\rVert}
```

Use starred variants `\abs*` and `\norm*` to produce the correct delimiter height for any kind of equation.

$$|x| \quad \text{\abs}\{x\} \quad \left| \frac{a}{b} \right| \quad \text{\abs*}\{\frac{a}{b}\}$$

$$\|x\| \quad \text{\norm}\{x\} \quad \left\| \frac{a}{b} \right\| \quad \text{\norm*}\{\frac{a}{b}\}$$

Arrows

$$\begin{array}{llll} \uparrow & \text{\uparrowarrow} & \downarrow & \text{\downarrowarrow} \\ \Uparrow & & \Downarrow & \\ \leftarrow & \text{\leftarrowarrow or \gets} & \rightarrow & \text{\rightarrowarrow or \to} \\ \Leftrightarrow & \text{\leftrightarrowarrow} & \Leftarrow & \\ \Rightarrow & \text{\Rightarrowarrow} & \Leftrightarrow & \text{\Leftrightarrowarrow} \\ \mapsto & & & \end{array}$$

$$\begin{array}{lll} \longleftarrow & \longrightarrow & \\ \longrightarrow & \longleftrightarrow & \\ \Longleftarrow & \Longrightarrow & \\ \Longrightarrow & \Longleftrightarrow & \\ \longmapsto & & \end{array}$$

Logic symbols

$$\begin{array}{llll} \vee & \text{\lor} & \wedge & \text{\land} \\ \exists & \text{\exists} & \nexists & \text{\nexists} \\ \implies & \text{\implies} & \iff & \text{\iff} \\ \models & & & \models \end{array}$$

Other symbols

$$\begin{array}{lll} \text{Infinity} & \infty & \text{\infty} \\ \text{Partial derivative} & \partial & \text{\partial} \\ \text{Empty set} & \emptyset & \text{\emptyset} \\ \text{Nabla} & \nabla & \text{\nabla} \\ \text{Angle brackets} & \langle x \rangle & \text{\langle} x \text{\rangle} \end{array}$$

Multi line equations

Use the `multline` environment:
`\begin{multline} ... \end{multline}`

To align equations, use the `align` environment.
Specify the alignment position with `&` and separate equations with `\\\`:

```
\begin{align}
... &= ... \\
... &= ...
\end{align}
```

Vectors

$$\vec{x} \quad \text{\vec}\{x\}$$

$$x \quad \text{\bm}\{x\} \quad (\text{needs } \text{\bm} \text{ package})$$

Best practice to easily switch between types:

```
\usepackage{bm}
\renewcommand{\vec}{\bm}
```

Binary relations

$$\begin{array}{lll} \neq & \text{\neq} & \leq & \text{\leq} & \geq & \text{\geq} \\ \equiv & \text{\equiv} & \ll & \text{\ll} & \gg & \text{\gg} \\ \doteq & \text{\doteq} & \sim & \text{\sim} & \simeq & \text{\simeq} \\ \subset & \text{\subset} & \supset & \text{\supset} & \approx & \text{\approx} \\ \subseteq & \text{\subseteq} & \supseteq & \text{\supseteq} & \cong & \text{\cong} \\ \in & \text{\in} & \ni & \text{\ni} & \propto & \text{\propto} \\ \mid & \text{\mid} & \parallel & \text{\parallel} & \perp & \text{\perp} \end{array}$$

It's possible to negate these symbols by prefixing them with `\not` (for example: $\not\equiv$)

Binary operators

$$\begin{array}{llll} \pm & \text{\pm} & \mp & \text{\mp} & \cdot & \text{\cdot} \\ \div & \text{\div} & \times & \text{\times} & \backslash & \text{\setminus} \\ \star & \text{\star} & \cup & \text{\cup} & \cap & \text{\cap} \\ \ast & \text{\ast} & \circ & \text{\circ} & \bullet & \text{\bullet} \\ \oplus & \text{\oplus} & \ominus & \text{\ominus} & \odot & \text{\odot} \\ \oslash & \text{\oslash} & \otimes & \text{\otimes} & \smallsetminus & \text{\smallsetminus} \end{array}$$

Arrays

Use the `array` environment. Use `\backslash\backslash` to separate rows, and `&` to separate elements of each row. To produce large delimiters around the array, use `\left` and `\right` followed by the desired delimiter.

```
\left( \begin{array}{lcr} a & b & c \\ d & e & f \\ g & h & i \end{array} \right)
```

Each letter in the argument of the array represents a column:

- l left aligned text
- c centered text
- r right aligned text

Cases

Use the `cases` environment. Use `\backslash\backslash` to separate different cases, and `&` for correct alignment.

```
\begin{cases} x & \text{if } x > 0 \\ 0 & \text{if } x \leq 0 \end{cases}
```

Matrices

Use one of the following environments:

```
matrix  No delimiter
pmatrix ( delimiter
bmatrix [ delimiter
Bmatrix { delimiter
vmatrix | delimiter
Vmatrix \| delimiter
```

Use `\backslash\backslash` to separate different rows, and `&` to separate elements of each row.

```
\begin{bmatrix} 1 & 2 & 3 \\ 4 & 5 & 6 \end{bmatrix}
```

To produce a small matrix, useful for inline math, use the `smallmatrix` environment: $\begin{smallmatrix} a & b \\ c & d \end{smallmatrix}$.

Blackboard bold

Include the package `bbm` for these symbols.

```
Blackboard 1  \mathbb{1}
Blackboard R  \mathbb{R}
```

All letters are supported.